BRAIN RESEARCH

VOL. 740 NOS. 1,2 **CONTENTS** **18 NOVEMBER 1996**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Note v

Guidelines for the submission of manuscripts vii

Research reports

Memantine induces heat shock protein HSP70 in the posterior cingulate cortex, retrosplenial cortex and dentate gyrus of rat brain
S. Tomitaka, K. Hashimoto, N. Narita, A. Sakamoto, Y. Minabe and A. Tamura (Japan) 1

Cell surface APP751 forms complexes with protease nexin 2 ligands and is internalized via the low density lipoprotein receptor-related protein (LRP)
M.F. Knauer, R.A. Orlando and C.G. Glabe (USA) 6

Repeated hyperbaric oxygen induces ischemic tolerance in gerbil hippocampus
K. Wada, M. Ito, T. Miyazawa, H. Katoh, H. Nawashiro, K. Shima and H. Chigasaki (Japan) 15

Increased uptake of L-cysteine and L-cystine by nerve growth factor in rat pheochromocytoma cells
Z. Pan and R. Perez-Polo (USA) 21

Single-channel evidence for glycine and NMDA requirement in NMDA receptor activation
M.C. Currás and B.S. Pallotta (USA) 27

Effects of a xanthine derivative, propentofylline, on local cerebral blood flow and glucose utilization in the rat
J.J. Grome, W. Hofmann, G. Gojowczyk and V. Stefanovich (Germany) 41

A re-examination of sex differences in axon density and number in the splenium of the rat corpus callosum
J.H.Y. Kim, A. Ellman and J.M. Juraska (USA) 47

Monoclonal antibody, KK1, recognizes human retinal astrocytes and. distinguishes a subtype of astrocytes in mouse brain
K. Kobayashi, H. Kobayashi, M. Ueda and Y. Honda (Japan) 57

Nerve regeneration across a 25-mm gap bridged by a polyglycolic acid-collagen tube: a histological and electrophysiological evaluation of regenerated nerves
T. Kiyotani, M. Teramachi, Y. Takimoto, T. Nakamura, Y. Shimizu and K. Endo (Japan) 66

The influx of Ca^{2+} and the release of noradrenaline evoked by the stimulation of presynaptic nicotinic receptors of chick sympathetic neurons in culture are not mediated via L-, N-, or P-type calcium channels
V. Doležal, K. Lee, A. Schobert and G. Hertting (Czech Republic, Japan, Germany) 75

Circannual morphometric investigations of the rat suprachiasmatic nucleus after pinealectomy, ganglionectomy and thyroidectomy
E. Peschke, D. Peschke and C. Huhn (Germany) 81

Differential sprouting responses in axonal fiber systems in the dentate gyrus following lesions of the perforant path in *Wld*^{s} mutant mice
B. Shi and B.B. Stanfield (USA) 89

Commissural nucleus of the solitary tract lesions reduce food intake and body weight gain in rats
J.V. Menani, E. Colombari, W.T. Talman and A.K. Johnson (USA, Brazil) 102

Pain from excitation of identified muscle nociceptors in humans
P. Marchettini, D.A. Simone, G. Caputi and J.L. Ochoa (Italy, USA, Uruguay) 109

HSP70 is essential to the neuroprotective effect of heat-shock
K. Sato, H. Saito and N. Matsuki (Japan) 117

Inhibition of the Met-enkephalin-induced K^+ current in B-cluster neurons of *Aplysia* by nitric oxide donor
M. Sawada, M. Ichinose and G.B. Stefano (Japan, USA) 124

Down-regulation of β-adrenergic receptor following long-term monocular deprivation in cat visual cortex
K. Muguruma, K. Imamura, H. Morii and Y. Watanabe (Japan) 131

Properties of a projection pathway from the medial preoptic nucleus to the midbrain periaqueductal gray of the rat and its role in the regulation of cardiovascular function
M.M. Behbehani and T.M. Da Costa Gomez (USA) 141

Subpallidal outputs to the nucleus accumbens and the ventral tegmental area: anatomical and electrophysiological studies
M. Wu, A.W. Hrycyshyn and S.M. Brudzynski (Canada) 151

Burst-firing activity of presumed 5-HT neurones of the rat dorsal raphe nucleus: electrophysiological analysis by antidromic stimulation
M. Hajós and T. Sharp (UK) 162

The expression of a novel Ca^{2+}/CaM stimulated adenylyl cyclase activity in the neuroblastoma cell line Lan-1 is regulated by cell density
F.-W. Kluxen, A. Hülster, M. Droste and T. Pfeuffer (Germany) 169

(contents continued on p. 359)

0006-8993(19961108)740:1/2;1-S

BRAIN RESEARCH

VOL. 740 NOS. 1,2 **CONTENTS** **18 NOVEMBER 1996**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Note v

Guidelines for the submission of manuscripts vii

Research reports

Memantine induces heat shock protein HSP70 in the posterior cingulate cortex, retrosplenial cortex and dentate gyrus of rat brain
S. Tomitaka, K. Hashimoto, N. Narita, A. Sakamoto, Y. Minabe and A. Tamura (Japan) 1

Cell surface APP751 forms complexes with protease nexin 2 ligands and is internalized via the low density lipoprotein receptor-related protein (LRP)
M.F. Knauer, R.A. Orlando and C.G. Glabe (USA) 6

Repeated hyperbaric oxygen induces ischemic tolerance in gerbil hippocampus
K. Wada, M. Ito, T. Miyazawa, H. Katoh, H. Nawashiro, K. Shima and H. Chigasaki (Japan) 15

Increased uptake of L-cysteine and L-cystine by nerve growth factor in rat pheochromocytoma cells
Z. Pan and R. Perez-Polo (USA) 21

Single-channel evidence for glycine and NMDA requirement in NMDA receptor activation
M.C. Currás and B.S. Pallotta (USA) 27

Effects of a xanthine derivative, propentofylline, on local cerebral blood flow and glucose utilization in the rat
J.J. Grome, W. Hofmann, G. Gojowczyk and V. Stefanovich (Germany) 41

A re-examination of sex differences in axon density and number in the splenium of the rat corpus callosum
J.H.Y. Kim, A. Ellman and J.M. Juraska (USA) 47

Monoclonal antibody, KK1, recognizes human retinal astrocytes and. distinguishes a subtype of astrocytes in mouse brain
K. Kobayashi, H. Kobayashi, M. Ueda and Y. Honda (Japan) 57

Nerve regeneration across a 25-mm gap bridged by a polyglycolic acid-collagen tube: a histological and electrophysiological evaluation of regenerated nerves
T. Kiyotani, M. Teramachi, Y. Takimoto, T. Nakamura, Y. Shimizu and K. Endo (Japan) 66

The influx of Ca^{2+} and the release of noradrenaline evoked by the stimulation of presynaptic nicotinic receptors of chick sympathetic neurons in culture are not mediated via L-, N-, or P-type calcium channels
V. Doležal, K. Lee, A. Schobert and G. Hertting (Czech Republic, Japan, Germany) 75

Circannual morphometric investigations of the rat suprachiasmatic nucleus after pinealectomy, ganglionectomy and thyroidectomy
E. Peschke, D. Peschke and C. Huhn (Germany) 81

Differential sprouting responses in axonal fiber systems in the dentate gyrus following lesions of the perforant path in *Wld*^{s} mutant mice
B. Shi and B.B. Stanfield (USA) 89

Commissural nucleus of the solitary tract lesions reduce food intake and body weight gain in rats
J.V. Menani, E. Colombari, W.T. Talman and A.K. Johnson (USA, Brazil) 102

Pain from excitation of identified muscle nociceptors in humans
P. Marchettini, D.A. Simone, G. Caputi and J.L. Ochoa (Italy, USA, Uruguay) 109

HSP70 is essential to the neuroprotective effect of heat-shock
K. Sato, H. Saito and N. Matsuki (Japan) 117

Inhibition of the Met-enkephalin-induced K^+ current in B-cluster neurons of *Aplysia* by nitric oxide donor
M. Sawada, M. Ichinose and G.B. Stefano (Japan, USA) 124

Down-regulation of β-adrenergic receptor following long-term monocular deprivation in cat visual cortex
K. Muguruma, K. Imamura, H. Morii and Y. Watanabe (Japan) 131

Properties of a projection pathway from the medial preoptic nucleus to the midbrain periaqueductal gray of the rat and its role in the regulation of cardiovascular function
M.M. Behbehani and T.M. Da Costa Gomez (USA) 141

Subpallidal outputs to the nucleus accumbens and the ventral tegmental area: anatomical and electrophysiological studies
M. Wu, A.W. Hrycyshyn and S.M. Brudzynski (Canada) 151

Burst-firing activity of presumed 5-HT neurones of the rat dorsal raphe nucleus: electrophysiological analysis by antidromic stimulation
M. Hajós and T. Sharp (UK) 162

The expression of a novel Ca^{2+}/CaM stimulated adenylyl cyclase activity in the neuroblastoma cell line Lan-1 is regulated by cell density
F.-W. Kluxen, A. Hülster, M. Droste and T. Pfeuffer (Germany) 169

(contents continued on p. 359)

0006-8993(19961108)740:1/2;1-S

(contents continued)

Central noradrenergic lesioning using anti-DBH-saporin: anatomical findings
C.C. Wrenn, M.J. Picklo, D.A. Lappi, D. Robertson and R.G. Wiley (USA, UK) 175
Enhancement of neurite-sprouting by suppression of HPC-1/syntaxin 1A activity in cultured vertebrate nerve cells
K. Yamaguchi, T. Nakayama, T. Fujiwara and K. Akagawa (Japan) 185
The effect of satiety on responses of gustatory neurons in the amygdala of alert cynomolgus macaques
J. Yan and T.R. Scott (USA) 193
Examination of the afferent fiber responsible for the suppression of jaw-opening reflex in heat, cold, and manual acupuncture stimulation in rats
K. Okada, M. Oshima and K. Kawakita (Japan) 201
Differential age-dependent effects of retinal deafferentation upon calbindin- and parvalbumin-immunoreactive neurons in the superficial layers of the rat's superior colliculus
R.D. Lane, D.M. Allan, C.A. Bennett-Clarke and R.W. Rhoades (USA) 208
Role of the locus coeruleus in the sleep rebound following two different sleep deprivation methods in the rat
M.M. Del C. González, J.L. Valatx and G. Debilly (France) 215
M-Current suppression in PC12 cells by bradykinin is mediated by a pertussis toxin-insensitive G-protein and modulated by intracellular calcium
A. Villarroel (USA, Spain) 227
Effects of aging on *N*-methyl-D-aspartate (NMDA)-induced GnRH and LH release in female rats
P. Arias, S. Carbone, B. Szwarcfarb, C. Feleder, M. Rodríguez, P. Scacchi and J.A. Moguilevsky (Argentina) 234
Overexpression of interleukin-6 in the central nervous system of transgenic mice increases central but not systemic proinflammatory cytokine production
E. Di Santo, T. Alonzi, E. Fattori, V. Poli, G. Ciliberto, M. Sironi, P. Gnocchi, P. Ricciardi-Castagnoli and P. Ghezzi (Italy) 239
Effects of tryptophan and/or acute running on extracellular 5-HT and 5-HIAA levels in the hippocampus of food-deprived rats
R. Meeusen, K. Thorré, F. Chaouloff, S. Sarre, K. De Meirleir, G. Ebinger and Y. Michotte (Belgium, France) 245
Pituitary gland receives both central and peripheral neuropeptide Y innervation
S. Vanhatalo and S. Soinila (Finland) 253
Involvement of 5-HT_{1A} receptor mechanisms in the inhibitory effects of methamphetamine on photic responses in the rodent suprachiasmatic nucleus
T. Moriya, S. Yamanouchi, T. Fukushima, T. Shimazoe, S. Shibata and S. Watanabe (Japan) 261
Cortical spreading depression recorded from the human brain using a multiparametric monitoring system
A. Mayevsky, A. Doron, T. Manor, S. Meilin, N. Zarchin and G.E. Ouaknine (Israel) 268
Bilateral contributions to motor recovery in the monkey following lesions of the deep cerebellar nuclei
K. Amrani, R.W. Dykes and Y. Lamarre (Morocco, Canada) 275
Critical period for cycloheximide blockade of light-induced phase advances of the circadian locomotor activity rhythm in golden hamsters
Y. Zhang, J.S. Takahashi and F.W. Turek (USA) 285
NADPH diaphorase activity and nitric oxide synthase immunoreactivity in lordosis-relevant neurons of the ventromedial hypothalamus
I.M. Rachman, D.W. Pfaff and R.S. Cohen (USA) 291
Acetylcholine release from frontal cortex in the waking rat measured by microdialysis without acetylcholinesterase inhibitors: effects of diisopropylfluorophosphate
G. Testylier and R.W. Dykes (France, Canada) 307
Effect of anoxia on striatal monoamine metabolism in immature rat brain compared with that of hypoxia: an in vivo microdialysis study
W. Nakajima, A. Ishida and G. Takada (Japan) 316
Tachykinins protect cholinergic neurons from quinolinic acid excitotoxicity in striatal cultures
N. Calvo, J. Reiriz, E. Pérez-Navarro and J. Alberch (Spain) 323
Adenosine A1-receptor agonist attenuates the light-induced phase shifts and fos expression in vivo and optic nerve stimulation-evoked field potentials in the suprachiasmatic nucleus in vitro
A. Watanabe, T. Moriya, Y. Nisikawa, T. Araki, T. Hamada, S. Shibata and S. Watanabe (Japan) 329
Effect of phosphatidylserine on the binding properties of glutamate receptors in brain sections from adult and neonatal rats
J. Gagné, C. Giguère, G. Tocco, M. Ohayon, R.F. Thompson, M. Baudry and G. Massicotte (Canada, USA) 337
Block of the endplate acetylcholine receptor channel by the sympathomimetic agents ephedrine, pseudoephedrine, and albuterol
M. Milone and A.G. Engel (USA) 346

Short communication

High metabolic rates of 4-hydroxynonenal in brain capillary endothelial cells during hypoxia/reoxygenation
S. Kunstmann, K. Mertsch, I.E. Blasig and T. Grune (Germany) 353

Author Index 356